

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet

Gold beryllium

1. Product and Company Identification

Trade Name: Gold beryllium

Chemical Formula: AuBe

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shannxi
Zip Code: 710077
Country: China

Tel#: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger





Hazard Statements: H301: Toxic if swallowed

H315: Causes skin irritation

H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H330: Fatal if inhaled

H335: May cause respiratory irritation

H350: May cause cancer

H372: Causes damage to organs through prolonged or repeated

exposure

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray

P284: Wear respiratory protection

P320: Specific treatment is urgent (see on this label)

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do –

continue rinsing P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4): Powder Bulk Health: 3 1

Flammability: 2 0 Physical: 1 0

3. Composition	
Chemical Family:	Alloy
Additional Names:	N/A
Gold (Au):	
Percentage:	0-100 wt.%
CAS #:	7440-57-5
EC#:	231-165-9
Beryllium (Be):	
Percentage:	0-100 wt%
CAS #:	7440-41-7
EC #:	231-150-7
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek Medical Attention.
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Flammable as powder
Extinguishing Media:	Do not use water for metal fires – use CO2, sand, extinguishing
	powder.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal.
T	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Want-Hamingia No. int.	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before
	eating and smoking. Do not blow dust off clothing or skin with
	compressed air
Ventilation:	compressed air. Provide sufficient ventilation to maintain concentration at or below

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.002 mg/m³ as Be, long-term value Threshold Limit Value: 0.00005 mg/m³ as Be, long-term value

Special Equipment: None

Respiratory Protection: Dust Respirator

Protective Gloves: Nitrile rubber, NBR 0.11mm thick.

Penetration time of glove material: 480 minutes

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color N/A

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Odorless Water Solubility: Insoluble **Boiling Point:** N/A Melting Point: N/A Flash Point: N/A Autoignition Temperature: N/A Density: N/A Molecular weight: N/A

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Acids, Bases, Halogens, Halocarbons, Oxidizing agents

Incompatible Conditions: N/A

Hazardous Decomposition Products: Beryllium oxide, Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: Causes serious eye irritation
Skin: Causes skin irritation
Ingestion: Toxic if swallowed
Inhalation: Fatal if inhaled

Chronic: Causes damage to the lung and the blood through prolonged or repeated

exposure. Route of exposure: inhalative

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: IARC-1: Carcinogenic to humans: sufficient evidence of

carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical

evidence in, exposed humans.

EPA-B1: Probable human carcinogen, limited evidence of

carcinogenicity from epidemiologic studies

NTP-K: Known to be carcinogenic: sufficient evidence from human

studies.

The Registry of Toxic Effects of Chemical Substances (RTECS)

contains tumorigenic and/or carcinogenic and/or neoplastic data for this

substance.

12. Ecological Information

Aquatic Toxicity: N/A
Persistent Bioaccumulation Toxicity: N/A
Very Persistent, Very Bioaccumulative: N/A

Very Persistent, Very Bioaccumulative: Notes:

Do not allow material to be released to the environment without proper

governmental permits.

Do not allow undiluted product or large quantities to reach ground

water, water course or sewage system. Avoid transfer into the environment.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous only as powder



Hazard Class: 6.1 Toxic substances

Packing Group: PG II
UN Number: UN1566

Proper Shipping Name: Beryllium compounds, n.o.s. (Gold Beryllium)

15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: Yes (as Beryllium)

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 09/12/2015